



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES—YEARLY AND MONTHLY.

CALIFORNIA.—Month of November, 1906. Estimated population 1,882,846. Total number of deaths reported to the State board of health, 2,585, corresponding to an annual death rate of 16.5 per 1,000 population. Deaths from contagious diseases were as follows: Diphtheria 34, enteric fever 115, measles 12, scarlet fever 1, whooping cough 5, and 342 from tuberculosis.

ILLINOIS.—The Bulletin of the State board of health reports as follows: June 1 to October 31, 1906. Number of counties reporting, 103. Total deaths, exclusive of city of *Chicago*, 10,964, including diphtheria 100, enteric fever 251, measles 27, scarlet fever 31, whooping cough 121, smallpox 1, and tuberculosis 1,171.

MICHIGAN.—Month of November, 1906. Estimated population, 2,530,016. Total number of deaths returned to the State department for the month was 2,864, including enteric fever 98, diphtheria 52, scarlet fever 19, measles 9, whooping cough 24, and 166 from tuberculosis.

Grand Rapids.—Month of November, 1906. Estimated population, 100,000. Total number of deaths, 104, including diphtheria 4, enteric fever 3, and 5 from tuberculosis. Cases of contagious diseases reported: Diphtheria 72, enteric fever 35, measles 30, scarlet fever 24, phthisis pulmonalis 4.

MINNESOTA—*St. Paul*.—Month of November, 1906. Estimated population, 200,000. Total number of deaths reported to the department of health, 156, including diphtheria 6, enteric fever 8, whooping cough 1, and 20 from tuberculosis. Cases of contagious diseases reported: Diphtheria 107, scarlet fever 35, smallpox 2.

MISSOURI—*St. Louis*.—Month of November, 1906. Estimated population, 710,000—white, 665,000; colored 45,000. Total number of deaths, 812—white 719, colored 93—including diphtheria 13, whooping cough 2, enteric fever 10, and 99 from phthisis pulmonalis. Cases of contagious diseases reported: Diphtheria 135, enteric fever 50, measles 22, scarlet fever 49, smallpox 4, whooping cough 8, and phthisis pulmonalis 150.

NEW JERSEY—*Paterson*.—Month of November, 1906. Estimated population, 113,655. Total number of deaths, 162, including diphtheria 1, enteric fever 1, scarlet fever 1, whooping cough 1, and 27 from tuberculosis. Cases of contagious diseases reported: Diphtheria 42, enteric fever 4, scarlet fever 16, and tuberculosis 19.